

# Datenblatt Doccom 3700

**Softpace GmbH**

Parkstr. 27

D-82008 Unterhaching

## Doccom 3700: System

System	
Processor	Intel Celeron N3350 Intel Pentium N4200
Processor Speed	1.1 GHz
Processor Cores	2 ~ 4
Integrated Graphics	Intel HD Graphics 500 Intel HD Graphics 505
Memory	DDR3L DIMM (non-ECC) Up to 8 GB

Rear I/O	
Ethernet	2 Gb LAN ports (N4200) (Realtek RTL8111G)
USB	4 USB 2.0 ports
Video	2 DisplayPorts 2 DisplayPorts
Power	1 9~24 V DC Jack
Other	350) (Realtek RTL8111G)

Front I/O	
USB	2 USB 3.0 ports USB 1 USB Type C port
Other	1 Audio jack (mic in, line-out) 1 Power Button

Expansion & Features	
Expansion & Storage	1 Full size mPCIe socket 1 Full/half size mPCIe socket (shared with mSATA) 2 mSATA (1 shared with full/half size mPCIe)

Mechanical	
Dimensions	(WxHxD) 196 mm x 36.75 mm x 120.8 mm
Mounting Options	DIN-mount VESA-mount Wall-mount

Environmental & Regulatory	
Operating Temperature	0 ~ 50°C (May be lower based on power adapter selection) 0 ~ 40°C For UL Listed
Certifications	FCC 47 CFR Part 15 CE UL Listed RoHS 2 (2011/65/EU) RoHS 3 (2015/863/EU) EN 55022 EN 55024 EN 55032 EN 60950-1

# Docom 3700 : Abmessungen

